

# **Port Series No. 50** **Ports of Hawaii (Honolulu, Port Allen, Nawiliwili, Kahului, Kaunakakai, Kawaihae, and Hilo)**

Port: **Hawaii**  
Waterway: **Auau Channel** Mile: PWD: 57  
Name: **State of Hawaii, Lahaina Pier.**  
Location: Island of Maui, west central portion, north side of Lahaina Small Boat Harbor. Datum: MLLW  
Operator: State of Hawaii, Department of Land and Natural Resources; and others. (See Remarks.)  
Owner: State of Hawaii, Department of Land and Natural Resources.  
Address: Phone: 808/661-3557  
Town: Lahaina State: HI County: Maui  
Railway Connection: None.  
Purpose: Mooring excursion vessels and fishing vessels; fueling vessels; boarding passengers.  
Depth Alongside (feet): 8 - 12 | 8 - 12 | 8 - 12 Latitude (decimal): 20.871667  
Total Berthing Space (feet): 60 | 115 | 110 Longitude (decimal): -156.6786  
Remarks: Two companies operate excursion vessels between Manele Harbor, Lanai, and Lahaina: Expeditions and Trilogy. Pacific/West Fuels, Inc. provides fuel for small vessels from two storage tanks located at rear, total capacity 12,000 gallons. Additional berthing space for fishing and excursion vessels is available along concrete bulkhead located at east side of Small Boat Harbor, perpendicular to face.  
Year of Last Survey: 1998 Corps of Engnrs Waterway Code: 84333 Dock Code: 005 Pacific Ocean Division

Port: **Hawaii**  
Waterway: **Barbers Point Harbor** Mile: PWD: 47  
Name: **State of Hawaii, Barbers Point Harbor, Barge Wharf.**  
Location: Southerly side of entrance channel to dredged basin, approximately 2 miles north of Barbers Point. Datum: MLLW  
Operator: Citizens Utilities Co., d.b.a. The Gas Co.; Hawaii Metal Recycling Co.; Texaco Refini  
Owner: State of Hawaii, Department of Transportation, Harbors Division.  
Address: Phone: 808/682-5721  
Town: Kapolei State: HI County: Honolulu  
Railway Connection: None.  
Purpose: Receipt and shipment of sand; shipment of liquefied petroleum gas; receipt of scrap metal.  
Depth Alongside (feet): 16 - 19 | | Latitude (decimal): 21.320833  
Total Berthing Space (feet): 250 | | Longitude (decimal): -158.1197  
Remarks: Citizens Utilities Services, d.b.a. The Gas Co.: One 8-inch pipeline extends to wharf from one 714-barrel liquefied petroleum gas storage tank located at rear; additional storage tanks are located at refinery. Approximately 4.4 acres of concrete-paved open storage area are located at rear.  
Year of Last Survey: 1998 Corps of Engnrs Waterway Code: 84746 Dock Code: 002 Pacific Ocean Division

# **Port Series No. 50** **Ports of Hawaii (Honolulu, Port Allen, Nawiliwili, Kahului, Kaunakakai, Kawaihae, and Hilo)**

Port: **Hawaii**  
Waterway: **Barbers Point Harbor** Mile: PWD: 48  
Name: **State of Hawaii, Barbers Point Harbor, Finger Pier.**  
Location: Southwesterly side of Barbers Point Harbor. Datum: MLLW  
Operator: State of Hawaii, Department of Transportation, Harbors Division; Hawaiian Tug & Barge  
Owner: State of Hawaii, Department of Transportation, Harbors Division.  
Address: Phone: 808/682-1333  
Town: Kapolei State: HI County: Honolulu  
Railway Connection: None.  
Purpose: Mooring company-owned towboats and barges; mooring vessels for repair; mooring floating drydock.  
Depth Alongside (feet): | 20 | Latitude (decimal): 21.321111  
Total Berthing Space (feet): | 160, | Longitude (decimal): -158.1183  
Remarks: Marisco, Ltd: One 8,000-metric-ton floating drydock is moored along bulkhead approximately 300 feet above pier. Marine repair plant is located at rear.□  
Year of Last Survey: 1998 Corps of Engrs Waterway Code: 84746 Dock Code: 007 Pacific Ocean Division

---

Port: **Hawaii**  
Waterway: **Barbers Point Harbor** Mile: PWD: 49  
Name: **State of Hawaii, Barbers Point Harbor, Piers 5 and 6.**  
Location: Southeasterly side of Barbers Point Harbor. Datum: MLLW  
Operator: State of Hawaii, Department of Transportation, Harbors Division; Briggs Pacific Indus  
Owner: State of Hawaii, Department of Transportation, Harbors Division.  
Address: Phone: 808-682-4015  
Town: Kapolei State: HI County: Honolulu  
Railway Connection: None.  
Purpose: Receipt and shipment of conventional and containerized general cargo and petroleum products; receipt of miscellaneous dry bulk commodities and grain; shipment of cement; bunkering vessels.  
Depth Alongside (feet): 36 - 38 | | Latitude (decimal): 21.322222  
Total Berthing Space (feet): 1,600 | | Longitude (decimal): -158.1133  
Remarks: Approximately 34.7 acres of paved open storage area are located at rear.□Hawaiian Cement Corp.: One 10-inch pneumatic pipeline extends to wharf from one 1,800-ton silo located at rear. Tesoro Petroleum Corp.: One 20-, two 12-, and one 10-inch pipelines extend from wharf to refinery described under Ref. No. 46.□Texaco Refining & Marketing, Inc.: Four 8-inch pipelines extend from wharf to 17 storage tanks located at terminal in Campbell Industrial Park, total capacity 510,000 barrels. □At time of survey (1998), plans called for the construction of a 1,110-foot concrete pile, concrete-decked wharf (Pier 7) to be located on the northeastly side of Barbers Point Harbor; Piers 5 and 6 would be extended a total of 600 feet.  
Year of Last Survey: 1998 Corps of Engrs Waterway Code: 84746 Dock Code: 006 Pacific Ocean Division

---

## Port Series No. 50

### Ports of Hawaii (Honolulu, Port Allen, Nawiliwili, Kahului, Kaunakakai, Kawaihae, and Hilo)

Port: **Hawaii**  
 Waterway: **Hanapepe Bay** Mile: PWD: 50  
 Name: **State of Hawaii, Port Allen Pier.**  
 Location: Island of Kauai, south central portion, easterly shore of Hanapepe Bay. Datum: MLLW  
 Operator: State of Hawaii, Department of Transportation, Harbors Division; and others. (See Rem  
 Owner: State of Hawaii, Department of Transportation, Harbors Division.  
 Address: Phone: 808-245-6996/33  
 Town: Port Allen State: HI County: Kauai  
 Railway Connection: None.  
 Purpose: Receipt of petroleum products, liquid fertilizer, and fuel oil for plant consumption; mooring vessels.  
 Depth Alongside (feet): 35 | 35 | 25 Latitude (decimal): 21.899444  
 Total Berthing Space (feet): 124 | 600 | 600 Longitude (decimal): -159.5894  
 Remarks: Small boat harbor is located 400 feet north of pier. Approximately 25,500 square feet of additional space in transit shed is leased to the Pacific Missile Range Facility and the Naval Undersea Warfare Engineering Station, U.S. Navy. ☐Chevron Products Co., Inc.: Two 8- and one 6-inch pipelines extend from wharf to nine steel storage tanks at terminal in rear, total capacity of 108,365barrels; one 4-inch pipeline extends from terminal to Citizens Utilities Co.'s Port Allen Station.☐Brewer Environmental Industries, L.L.C.: One 6-inch pipeline extends fromwharf to one 630,000-gallon liquid fertilizer storage tank at rear.

Year of Last Survey: 1998 Corps of Engrs Waterway Code: 84828 Dock Code: 201 Pacific Ocean Division

Port: **Hawaii**  
 Waterway: **Honolulu Channel** Mile: PWD: 7  
 Name: **State of Hawaii, Diamond Head Terminal, Piers 1 and 2.**  
 Location: Easterly side of Honolulu Channel, west of foot of Kakaako Street extended. Datum: MLLW  
 Operator: State of Hawaii, Department of Transportation, Harbors Division.  
 Owner: State of Hawaii, Department of Transportation, Harbors Division.  
 Address: 677 Ala Moana Blvd. Phone: (808) 587-1880  
 Town: Honolulu State: HI County: Honolulu  
 Railway Connection: None.  
 Purpose: Receipt and shipment of conventional and containerized general cargo and heavy-lift equipment; receipt of automobiles, lumber, and paper products; mooring vessels; boarding and disembarking passengers.  
 Depth Alongside (feet): 34 - 39 | | Latitude (decimal): 21.3  
 Total Berthing Space (feet): 2,967 | | Longitude (decimal): -157.8669  
 Remarks: North half of Pier 2 shed is occupied by Foreign Trade Zone. ☐Approximately 29 acres of paved open storage area are available at rear.☐

Year of Last Survey: 1998 Corps of Engrs Waterway Code: 84752 Dock Code: 014 Pacific Ocean Division

# **Port Series No. 50** **Ports of Hawaii (Honolulu, Port Allen, Nawiliwili, Kahului, Kaunakakai, Kawaihae, and Hilo)**

Port: **Hawaii**  
Waterway: **Kahului Harbor Basin, Maui** Mile: PWD: 60  
Name: **State of Hawaii, Kahului Pier 1.**  
Location: Island of Maui, north central side, Kahului Bay, northeast side of Kahului Harbor Basin. Datum: MLLW  
Operator: State of Hawaii, Department of Transportation, Harbors Division; and others. (See Rem  
Owner: State of Hawaii, Department of Transportation, Harbors Division.  
Address: Phone: 808-877-3095  
Town: Kahului State: HI County: Maui  
Railway Connection: None.  
Purpose: Receipt and shipment of conventional and containerized general cargo and automobiles; receipt of petroleum products, coal, lumber, and steel products; shipment of bulk raw sugar and molasses; bopassengers.  
Depth Alongside (feet): 35 | | Latitude (decimal): 20.9  
Total Berthing Space (feet): 1,350 | | Longitude (decimal): -156.4694  
Remarks: Matson Navigation Co.: Approximately 13 acres of storage area located at the rear of Pier 1, including 36 refrigerated container positions. □Kahului Trucking and Storage, Inc.: One 12-inch pipeline extends to wharf from 2 molasses storage tanks, total capacity 20,000 tons. □Petroleum products are received at Pier 1 through manifold system and six 8-inch pipelines; see Remarks Ref. No. 59 for list of operators.  
Year of Last Survey: 1998 Corps of Engrs Waterway Code: 84315 Dock Code: 976 Pacific Ocean Division

Port: **Hawaii**  
Waterway: **Kahului Harbor Basin, Maui** Mile: PWD: 58  
Name: **State of Hawaii, Kahului Pier 2.**  
Location: Island of Maui, north central side, Kahului Bay, southeast side Kahului Harbor Basin. Datum: MLLW  
Operator: State of Hawaii, Department of Transportation, Harbors Division; and others. (See Rem  
Owner: State of Hawaii, Department of Transportation, Harbors Division.  
Address: Phone: 808-877-6511  
Town: Kahului State: HI County: Maui  
Railway Connection: None.  
Purpose: Receipt and shipment of conventional and containerized general cargo and automobiles; receipt of liquefied petroleum gas, bulk cement, and lumber.  
Depth Alongside (feet): 27 | 27 | Latitude (decimal): 20.897778  
Total Berthing Space (feet): 894 | 288 | Longitude (decimal): -156.47  
Remarks: Young Brothers, Ltd., an HEI Co.: Approximately 7.5 acres of paved storage area, including 28 refrigerated container positions, are located at rear of Piers 2 and 3. Citizens Utilities Services, d.b.a. The Gas Co.: One 8-inch pipeline extends from Pier 2A to 11 liquefied petroleum gas storage tanks, total capacity 12,550 barrels.Hawaiian Cement Corp.: Two 10-inch pipelines extend from Pier 2A to two bulk cement storage tanks, total capacity 3,800 tons.  
Year of Last Survey: 1998 Corps of Engrs Waterway Code: 84315 Dock Code: 966 Pacific Ocean Division

# Port Series No. 50

## Ports of Hawaii (Honolulu, Port Allen, Nawiliwili, Kahului, Kaunakakai, Kawaihae, and Hilo)

Port: **Hawaii**  
 Waterway: **Kahului Harbor Basin, Maui** Mile: PWD: 59  
 Name: **State of Hawaii, Kahului Pier 3**  
 Location: Island of Maui, north central side, Kahului Bay, inner end of Kahului Harbor Basin. Datum: MLLW  
 Operator: State of Hawaii, Department of Transportation, Harbors Division; and others. (See Rem  
 Owner: State of Hawaii, Department of Transportation, Harbors Division.  
 Address: Phone: 8 08-877-5713  
 Town: Kahului State: HI County: Maui  
 Railway Connection: None.  
 Purpose: Receipt and shipment of conventional and containerized general cargo and automobiles; receipt of petroleum products, sand, lumber, and steel products; boarding passengers; mooring towboats.  
 Depth Alongside (feet): 17 - 18 | | Latitude (decimal): 20.897778  
 Total Berthing Space (feet): 500 | | Longitude (decimal): -156.4683  
 Remarks: Young Brothers, Ltd., an HEI Co.: See Remarks under Ref. No. 58. □ Matson Navigation Co.: See Remarks under Ref. No. 60. □ Hawaiian Cement Corp: One 10-inch pipeline extending from Pier 3A to the cement storage tanks described under Ref. No. 58 was not in use at time of survey. □ Petroleum products are received at Pier 3 through manifold system and five 8-inch pipelines. □ Tesoro Petroleum Corp.: Six storage tanks with total capacity 135,000 barrels. □ Chevron Products Co., Inc.: 15 storage tanks, total capacity 72,300 barrels. Maui Petroleum, Inc.: Six storage tanks, total capacity 42,300 barrels; not in use at time of survey. □ Shell Oil Co.: One storage tank, capacity 27,000 barrels (used by Maui Electric Co.). □ Maui Electric Co.: Three storage tanks, total capacity 83,900 barrels.

Year of Last Survey: 1998 Corps of Engrs Waterway Code: 84315 Dock Code: 970 Pacific Ocean Division

Port: **Hawaii**  
 Waterway: **Kailua Bay** Mile: PWD: 63  
 Name: **State of Hawaii, Kona Pier.**  
 Location: Island of Hawaii, west central portion, northerly side of Kailua Bay. Datum: MLLW  
 Operator: State of Hawaii, Department of Land and Natural Resources; and others. (See Remarks.)  
 Owner: State of Hawaii, Department of Land and Natural Resources.  
 Address: Phone: 808/329-4997  
 Town: Kailua Kona State: HI County: Hawaii  
 Railway Connection: None.  
 Purpose: Mooring excursion vessels and fishing vessels; boarding passengers.  
 Depth Alongside (feet): 17 | 8 - 17 | 7 - 17 Latitude (decimal): 19.642222  
 Total Berthing Space (feet): 80 | 465 | 310 Longitude (decimal): -155.9992  
 Remarks: Vessels berth perpendicular to sides at the inner sections and parallel to sides at the outer sections. Parking is available on pier. A concrete, small boat ramp is located at inner end of west side of pier. A 5-foot-wide, low-level, concrete wharf fronts inner end of east side and entire length of west side.

Year of Last Survey: 1998 Corps of Engrs Waterway Code: 84075 Dock Code: 003 Pacific Ocean Division

# **Port Series No. 50** **Ports of Hawaii (Honolulu, Port Allen, Nawiliwili, Kahului, Kaunakakai, Kawaihae, and Hilo)**

Port: **Hawaii**  
Waterway: **Kapalama Basin** Mile: PWD: 28  
Name: **State of Hawaii, Pier 34.**  
Location: Lower side of Kapalama Basin, at junction with Kapalama Channel. Datum: MLLW  
Operator: Tosco Distribution Co.; Tesoro Petroleum Corp.; and Hawaiian Cement Corp.  
Owner: State of Hawaii, Department of Transportation, Harbors Division.  
Address: 411 Pacific Street. Phone: 808-522-7616  
Town: Honolulu State: HI County: Honolulu  
Railway Connection: None.  
Purpose: Receipt of petroleum products; shipment of bulk cement; bunkering vessels.  
Depth Alongside (feet): 34 | | Latitude (decimal): 21.314722  
Total Berthing Space (feet): 550 | | Longitude (decimal): -157.8778  
Remarks: Hawaiian Cement Corp.: One 10-inch pipeline extends to wharf from three steel, bulk cement storage tanks in rear, total capacity 18,000 tons. □Tosco Distribution Co.: One 14-, three 10-, one 8-, and two 6-inch pipelines extend from wharf to 17 steel storage tanks on opposite side of Nimitz Highway, total capacity 500,000 barrels. □Tesoro Petroleum Corp.: One 8- and one 4-inch bunkering pipelines extend to wharf from eight storage tanks located at rear, total capacity 8,000 barrels. □Face of wharf is in line and continuous with Pier 35 (Ref. No. 29).

Year of Last Survey: 1998 Corps of Engrs Waterway Code: 84752 Dock Code: 167 Pacific Ocean Division

Port: **Hawaii**  
Waterway: **Kapalama Basin** Mile: PWD: 29  
Name: **State of Hawaii, Pier 35.**  
Location: Inner portion of east side of Kapalama Basin. Datum: MLLW  
Operator: State of Hawaii, Department of Transportation, Harbors Division; and Smith Maritime.  
Owner: State of Hawaii, Department of Transportation, Harbors Division.  
Address: Phone: (808) 587-1880  
Town: Honolulu State: HI County: Honolulu  
Railway Connection: None.  
Purpose: Mooring company-owned vessels.  
Depth Alongside (feet): 17 - 34 | | Latitude (decimal): 21.316111  
Total Berthing Space (feet): 705 | | Longitude (decimal): -157.8767  
Remarks: -□□

Year of Last Survey: 1998 Corps of Engrs Waterway Code: 84752 Dock Code: 170 Pacific Ocean Division

**Port Series No. 50**  
**Ports of Hawaii (Honolulu, Port Allen, Nawiliwili, Kahului, Kaunakakai,**  
**Kawaihae, and Hilo)**

Port: **Hawaii**  
Waterway: **Kapalama Basin** Mile: PWD: 30  
Name: **State of Hawaii, Pier 36.**  
Location: Northerly side, lower end of Kapalama Basin, approximately 600 feet east of mouth Datum: MLLW  
of Kapalama Drainage C  
Operator: State of Hawaii, Department of Transportation, Harbors Division; and P & R Water Taxi  
Owner: State of Hawaii, Department of Transportation, Harbors Division.  
Address: Phone: 808/521-2545  
Town: Honolulu State: HI County: Honolulu  
Railway Connection: None.  
Purpose: Mooring fishing vessels; mooring company-owned floating equipment; handling equipment, materials,  
and supplies.  
Depth Alongside (feet): 34 | 34 | 6 - 20 Latitude (decimal): 21.316111  
Total Berthing Space (feet): 68 | 546 | 432 Longitude (decimal): -157.8778  
Remarks: Pier forms 248-foot-wide slip with adjacent Pier 35 (Ref. No. 29).□□  
Year of Last Survey: 1998 Corps of Engnrs Waterway Code: 84752 Dock Code: 173 Pacific Ocean Division

---

Port: **Hawaii**  
Waterway: **Kapalama Basin** Mile: PWD: 31  
Name: **State of Hawaii, Pier 37.**  
Location: Northerly side, lower end of Kapalama Basin, approximately 400 feet east of mouth Datum: MLLW  
of Kapalama Drainage C  
Operator: State of Hawaii, Department of Transportation, Harbors Division.  
Owner: State of Hawaii, Department of Transportation, Harbors Division.  
Address: Phone: (808) 587-1880  
Town: Honolulu State: HI County: Honolulu  
Railway Connection: None.  
Purpose: Mooring transient fishing vessels.  
Depth Alongside (feet): 10 - 15 | | Latitude (decimal): 21.316667  
Total Berthing Space (feet): 405 | | Longitude (decimal): -157.8783  
Remarks: An additional 200+200 feet of berthing space is available at rear of face.□□  
Year of Last Survey: 1998 Corps of Engnrs Waterway Code: 84752 Dock Code: 174 Pacific Ocean Division

---

**Port Series No. 50**  
**Ports of Hawaii (Honolulu, Port Allen, Nawiliwili, Kahului, Kaunakakai,**  
**Kawaihae, and Hilo)**

Port: **Hawaii**  
Waterway: **Kapalama Basin** Mile: PWD: 33  
Name: **State of Hawaii, Pier 39.**  
Location: Northerly side of Kapalama Basin, upper side of mouth of Kapalama Drainage Canal. Datum: MLLW  
Operator: Young Brothers, Ltd., an HEI Co.  
Owner: State of Hawaii, Department of Transportation, Harbors Division.  
Address: Phone: 808-543-9406  
Town: Honolulu State: HI County: Honolulu  
Railway Connection: None.  
Purpose: Receipt and shipment of conventional, containerized, and roll-on/ roll-off general cargo and automobiles by barge in inter-island trade.  
Depth Alongside (feet): 32 | 24 - 32 | 33 Latitude (decimal): 21.3175  
Total Berthing Space (feet): 105 | 1,013 | 1,025 Longitude (decimal): -157.8806  
Remarks: Approximately 9.5 acres of open storage area are available at outer end of pier and at inner end at rear of transit shed. Slip between Piers 39 and 40 (Ref. No. 34) is approximately 250 feet wide. The 75-foot section of lower side of pier is used for stern loading of roll-on/roll-off cargo.  
Year of Last Survey: 1998 Corps of Engnrs Waterway Code: 84752 Dock Code: 204 Pacific Ocean Division

---

Port: **Hawaii**  
Waterway: **Kapalama Basin** Mile: PWD: 34  
Name: **State of Hawaii, Pier 40.**  
Location: Northerly side of Kapalama Basin, approximately 500 feet above mouth of Kapalama Drainage Canal. Datum: MLLW  
Operator: Young Brothers, Ltd., an HEI Co.  
Owner: State of Hawaii, Department of Transportation, Harbors Division.  
Address: Phone: 808-543-9406  
Town: Honolulu State: HI County: Honolulu  
Railway Connection: None.  
Purpose: Receipt and shipment of conventional, containerized, and roll-on/ roll-off general cargo and automobiles by barge in inter-island trade; mooring company-owned floating equipment.  
Depth Alongside (feet): 33 | 25 - 32 | 27 - 33 Latitude (decimal): 21.317222  
Total Berthing Space (feet): 250 | 1,005 | 1,005 Longitude (decimal): -157.8817  
Remarks: A total of approximately 13 acres of open storage area are available at outer end of pier, and at inner end adjacent to storage area described under Ref. No. 33. Inner end adjacent to upper side of pier is used for mooring company-owned floating equipment.  
Year of Last Survey: 1998 Corps of Engnrs Waterway Code: 84752 Dock Code: 209 Pacific Ocean Division

---



## Port Series No. 50

### Ports of Hawaii (Honolulu, Port Allen, Nawiliwili, Kahului, Kaunakakai, Kawaihae, and Hilo)

Port: **Hawaii**  
 Waterway: **Kapalama Basin** Mile: PWD: 35  
 Name: **State of Hawaii, Pier 41.**  
 Location: Northerly side of Kapalama Basin, below foot of Libby Street extended. Datum: MLLW  
 Operator: Honolulu Shipyard, Inc.  
 Owner: State of Hawaii, Department of Transportation, Harbors Division.  
 Address: Phone: 808/848-6230  
 Town: Honolulu State: HI County: Honolulu  
 Railway Connection: None.  
 Purpose: Mooring vessels and barges for outfitting, conversion, and repair; mooring floating drydock.  
 Depth Alongside (feet): 30 - 32 | 30 | 22 Latitude (decimal): 21.318056  
 Total Berthing Space (feet): 400 | | Longitude (decimal): -157.8831  
 Remarks: One 400-ton marine railway is located in slip between rear of face and east side of Ref. No. 36.  
 Floating drydock 'Ke Kaulana,' with capacity of 2,280 long tons, is moored at outer end of face. Wharf is equipped with service lines for supplying fresh and salt water, and compressed air.  
 Year of Last Survey: 1998 Corps of Engrs Waterway Code: 84752 Dock Code: 225 Pacific Ocean Division

---

Port: **Hawaii**  
 Waterway: **Kapalama Basin** Mile: PWD: 36  
 Name: **State of Hawaii, Pier 42A.**  
 Location: Northerly side of Kapalama Basin, foot of Libby Street extended. Datum: MLLW  
 Operator: Honolulu Shipyard, Inc.  
 Owner: State of Hawaii, Department of Transportation, Harbors Division.  
 Address: Phone: 808/848-6230  
 Town: Honolulu State: HI County: Honolulu  
 Railway Connection: None.  
 Purpose: Mooring vessels and barges for outfitting, conversion, and repair.  
 Depth Alongside (feet): 34 | 0 - 22 | Latitude (decimal): 21.316667  
 Total Berthing Space (feet): 200 | | Longitude (decimal): -157.8836  
 Remarks: Side transfer rails for marine railway, described under Ref. No. 35, are located at rear. Wharf is equipped with service lines for supplying fresh and salt water, and compressed air.  
 Year of Last Survey: 1998 Corps of Engrs Waterway Code: 84752 Dock Code: 225 Pacific Ocean Division

---

## Port Series No. 50

### Ports of Hawaii (Honolulu, Port Allen, Nawiliwili, Kahului, Kaunakakai, Kawaihae, and Hilo)

Port: **Hawaii**  
 Waterway: **Kapalama Basin** Mile: PWD: 37  
 Name: **State of Hawaii, Pier 45.**  
 Location: Inner and upper sides of Snug Harbor Slip, located approximately 700 feet below Sand Island Bridge. Datum: MLLW  
 Operator: University of Hawaii Marine Center; and National Oceanic and Atmospheric Administration  
 Owner: State of Hawaii.  
 Address: 1 Sand Island Road. Phone: 808-847-2661  
 Town: Honolulu State: HI County: Honolulu  
 Railway Connection: None.  
 Purpose: Mooring research vessels; handling supplies and equipment.  
 Depth Alongside (feet): 25 | 20 - 35 | Latitude (decimal): 21.316667  
 Total Berthing Space (feet): 171 | 507 | Longitude (decimal): -157.8856  
 Remarks: National Oceanic and Atmospheric Administration research vessel 'Townsend Cromwell' is based at Pier 45 (outer end). One 4-inch sewage line serves wharves. Ramps extend from each side to lower level Pier 44A apron.  
 Year of Last Survey: 1998 Corps of Engnrs Waterway Code: 84752 Dock Code: 228 Pacific Ocean Division

---

Port: **Hawaii**  
 Waterway: **Kapalama Basin** Mile: PWD: 39  
 Name: **State of Hawaii, Pier 51A.**  
 Location: Sand Island, southerly side of Kapalama Basin, approximately 500 feet below Sand Island Bridge. Datum: MLLW  
 Operator: Sea-Land Service, Inc. and Airport Group International, Inc.  
 Owner: State of Hawaii, Department of Transportation, Harbors Division.  
 Address: Phone: 808-842-5335  
 Town: Honolulu State: HI County: Honolulu  
 Railway Connection: None.  
 Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trade; receipt of petroleum products.  
 Depth Alongside (feet): 39 | | Latitude (decimal): 21.314167  
 Total Berthing Space (feet): 556 | | Longitude (decimal): -157.8853  
 Remarks: Wharf is in line and contiguous with Piers 51B and 51C. □Sea-Land Service, Inc.: Terminal totals 39.9 acres with storage for approximately 563 wheeled containers and 1,475 grounded containers, including 84 positions for refrigerated containers. □Airport Group International, Inc.: One 18- and one 12-inch pipelines extend from wharf to 13 steel jet fuel storage tanks, total capacity 840,000 barrels. All tanks are located on opposite side of Kapalama Basin, west of Sand Island Road.  
 Year of Last Survey: 1998 Corps of Engnrs Waterway Code: 84752 Dock Code: 230 Pacific Ocean Division

---

# **Port Series No. 50** **Ports of Hawaii (Honolulu, Port Allen, Nawiliwili, Kahului, Kaunakakai, Kawaihae, and Hilo)**

Port: **Hawaii**  
Waterway: **Kapalama Basin** Mile: PWD: 40  
Name: **State of Hawaii, Piers 51B and 51C.**  
Location: Sand Island, southerly side of Kapalama Basin, approximately 1,000 feet below Sand Island Bridge. Datum: MLLW  
Operator: Matson Terminals, Inc.  
Owner: State of Hawaii, Department of Transportation, Harbors Division.  
Address: Phone: 808-848-1436  
Town: Honolulu State: HI County: Honolulu  
Railway Connection: None.  
Purpose: Receipt and shipment of containerized and roll-on/roll-off general cargo in foreign and domestic trade; receipt and shipment of molasses.  
Depth Alongside (feet): 39 | | Latitude (decimal): 21.313889  
Total Berthing Space (feet): 1,346 | | Longitude (decimal): -157.8833  
Remarks: Wharf is in line and contiguous with Pier 51A. Roll-on/roll-off ramp is assembled as required over wharf by connecting portable ramp sections mounted on rubber tires to form a direct access between vessels' side ports and storage and marshalling area at rear. Two molasses storage tanks are located at rear, total capacity 72,000 gallons; portable hoses are used as required for molasses transfer. See Remarks under Ref. No. 41.  
Year of Last Survey: 1998 Corps of Engrs Waterway Code: 84752 Dock Code: 235 Pacific Ocean Division

Port: **Hawaii**  
Waterway: **Kapalama Channel** Mile: PWD: 26  
Name: **Chevron Products Co., Honolulu Pier 30.**  
Location: North side of center portion of Kapalama Channel. Datum: MLLW  
Operator: Chevron Products Co., Inc.  
Owner: Chevron Products Co., Inc.  
Address: 777 North Nimitz Highway. Phone: 808/527-2747  
Town: Honolulu State: HI County: Honolulu  
Railway Connection: None  
Purpose: Receipt and shipment of petroleum products; bunkering vessels.  
Depth Alongside (feet): 30 - 31 | | Latitude (decimal): 21.310833  
Total Berthing Space (feet): 270 | | Longitude (decimal): -157.8733  
Remarks: Face of wharf is in line and contiguous with adjacent wharf, Piers 31A, and 31 to 33 (Ref. No. 27), providing for a total of 1,710 feet of berthing space. Two 8- and eight 6-inch pipelines extend from wharf to 28 steel storage tanks located at rear, total capacity 370,000 barrels. Terminal is connected via two 8-inch pipelines with company's Barbers Point Refinery (Ref. No. 45).  
Year of Last Survey: 1998 Corps of Engrs Waterway Code: 84752 Dock Code: 145 Pacific Ocean Division

**Port Series No. 50**  
**Ports of Hawaii (Honolulu, Port Allen, Nawiliwili, Kahului, Kaunakakai,**  
**Kawaihae, and Hilo)**

Port: **Hawaii**  
Waterway: **Kapalama Channel** Mile: PWD: 25  
Name: **State of Hawaii, Piers 28 and 29.**  
Location: North side of easterly portion of Kapalama Channel. Datum: MLLW  
Operator: Young Brothers, Ltd., an HEI Co.  
Owner: State of Hawaii, Department of Transportation, Harbors Division.  
Address: Phone: 808-543-9406  
Town: Honolulu State: HI County: Honolulu  
Railway Connection: None.  
Purpose: Receipt and shipment of conventional, containerized, and roll-on/ roll-off general cargo by barge in inter-island trade.  
Depth Alongside (feet): 28 - 30 | | Latitude (decimal): 21.309722  
Total Berthing Space (feet): 1,290 | | Longitude (decimal): -157.8719  
Remarks: See Remarks under Ref. No. 22.□□  
Year of Last Survey: 1998 Corps of Engrs Waterway Code: 84752 Dock Code: 129 Pacific Ocean Division

---

Port: **Hawaii**  
Waterway: **Kapalama Channel** Mile: PWD: 27  
Name: **State of Hawaii, Piers 31A, 31, 32, and 33.**  
Location: North side of westerly portion of Kapalama Channel. Datum: MLLW  
Operator: State of Hawaii, Department of Transportation, Harbors Division, and others. (See Rem  
Owner: State of Hawaii, Department of Transportation, Harbors Division.  
Address: Phone: (808)537-3911  
Town: Honolulu State: HI County: Honolulu  
Railway Connection: None.  
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; receipt of lumber, automobiles, caustic soda, and miscellaneous bulk commodities; bunkering vessels.  
Depth Alongside (feet): 34 | | Latitude (decimal): 21.3125  
Total Berthing Space (feet): 1,440 | | Longitude (decimal): -157.8764  
Remarks: Transit shed is divided into 2 sections by concrete-block firewall. Approximately 5 acres of open storage area are located beside and at rear of transit shed. Shell Oil Co.: One 12-, five 8-, and three 6-inch pipelines extending from wharf to 15 steel storage tanks at terminal in rear, total capacity 302,000 barrels, were not in use at time of survey. Brewer Environmental Industries, L.L.C.: One 6-inch pipeline extends from wharf to one 600,000-gallon steel, caustic soda storage tank at plant in rear. □ Tesoro Petroleum Corp.: One 4-inch bunkering pipeline extends from storagetanks described under Ref. No. 28.  
Year of Last Survey: 1998 Corps of Engrs Waterway Code: 84752 Dock Code: 148 Pacific Ocean Division

---

## Port Series No. 50

### Ports of Hawaii (Honolulu, Port Allen, Nawiliwili, Kahului, Kaunakakai, Kawaihae, and Hilo)

Port: **Hawaii**  
 Waterway: **Kapalama Channel** Mile: PWD: 41  
 Name: **State of Hawaii, Piers 52A, 52B, and 53.**  
 Location: Southerly side of Kapalama Channel Datum: MLLW  
 Operator: Matson Terminals, Inc. and Alexander & Baldwin, Inc.  
 Owner: State of Hawaii, Department of Transportation, Harbors Division.  
 Address: Phone: 808-848-1436  
 Town: Honolulu State: HI County: Honolulu  
 Railway Connection: None.  
 Purpose: Receipt and shipment of containerized and roll-on/roll-off general cargo and automobiles in foreign and domestic trade; receipt and shipment of molasses.  
 Depth Alongside (feet): 40 | | Latitude (decimal): 21.311111  
 Total Berthing Space (feet): 3,000 | | Longitude (decimal): -157.8769  
 Remarks: Matson Terminals, Inc.: Approximately 40.3 acres of open storage area are located in rear, including 834 outlets for refrigerated containers. □ Alexander & Baldwin, Inc.: One 20-inch pipeline extends to wharf from two steel molasses storage tanks at rear, total capacity 4,000,000 gallons.  
 Year of Last Survey: 1998 Corps of Engnrs Waterway Code: 84752 Dock Code: 250 Pacific Ocean Division

---

Port: **Hawaii**  
 Waterway: **Kapalama Drainage Canal** Mile: PWD: 32  
 Name: **State of Hawaii, Pier 38.**  
 Location: East side of Kapalama Drainage Canal, approximately 400 feet below Nimitz Highway Bridge. Datum: MLLW  
 Operator: Citizens Utilities Co., d.b.a. The Gas Co.  
 Owner: State of Hawaii, Department of Transportation, Harbors Division.  
 Address: Phone: 808/673-4800  
 Town: Honolulu State: HI County: Honolulu  
 Railway Connection: None.  
 Purpose: Shipment and occasional receipt of liquefied petroleum gas by barge; mooring barges.  
 Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 21.319167  
 Total Berthing Space (feet): 165 | | Longitude (decimal): -157.8783  
 Remarks: Two 4-inch pipelines extend from wharf to seven steel tanks located in rear, total capacity 5,000 barrels. □  
 Year of Last Survey: 1998 Corps of Engnrs Waterway Code: 84752 Dock Code: 175 Pacific Ocean Division

---

## Port Series No. 50

### Ports of Hawaii (Honolulu, Port Allen, Nawiliwili, Kahului, Kaunakakai, Kawaihae, and Hilo)

Port: **Hawaii**  
 Waterway: **Kaumalapau Harbor, Lanai** Mile: PWD: 55  
 Name: **Lanai Co., Kaumalapau Pier.**  
 Location: Island of Lanai, southeasterly portion, north side of Kaumalapau Harbor. Datum: MLLW  
 Operator: Lanai Co. and Lanai Oil Co., Inc.  
 Owner: Lanai Co.  
 Address: Phone: 808/565-6626  
 Town: Kaumalapau State: HI County: Maui  
 Railway Connection: None.  
 Purpose: Receipt and shipment of conventional and containerized general cargo and automobiles; receipt of petroleum products; shipment of livestock and perishable food commodities; boarding passengers.  
 Depth Alongside (feet): 27 - 30 | | Latitude (decimal): 20.789722  
 Total Berthing Space (feet): 400 | | Longitude (decimal): -156.9942  
 Remarks: Lanai Oil Co., Inc.: Two 4-inch pipelines extend from wharf to seven petroleum products storage tanks located at rear, total capacity 19,700 barrels; one 1,500-barrel storage tank was not in use at time of survey. One 3/4-inch compressed air line serves wharf.  
 Year of Last Survey: 1998 Corps of Engnrs Waterway Code: 84516 Dock Code: 989 Pacific Ocean Division

---

Port: **Hawaii**  
 Waterway: **Kaunakakai Harbor, Molokai** Mile: PWD: 54  
 Name: **State of Hawaii, Kaunakakai Pier.**  
 Location: Island of Molokai, south central portion. Datum: MLLW  
 Operator: State of Hawaii, Department of Transportation, Harbors Division; and others. (See Rem  
 Owner: State of Hawaii, Department of Transportation, Harbors Division.  
 Address: Phone: 808-553-5481/55  
 Town: Kaunakakai State: HI County: Maui  
 Railway Connection: None.  
 Purpose: Receipt and shipment of conventional and containerized general cargo and automobiles; receipt of petroleum products; shipment of livestock and perishable food commodities.  
 Depth Alongside (feet): 23 | | 23 Latitude (decimal): 21.080556  
 Total Berthing Space (feet): 691 | | 450 Longitude (decimal): -157.0283  
 Remarks: Young Brothers, Ltd., an HEI Co.: Approximately 2.8 acres of paved storage area are located on pier. □ Island Petroleum, Inc.: Two 6-inch pipelines extend from wharf to five steel storage tanks located at rear of causeway, total capacity 10,700 barrels; only one 2,600-barrel storage tank was in use at time of survey. These pipelines (becoming 4-inch) also extend to seven steel storage tanks, total capacity 16,800 barrels. □ Berthing available for small boats includes 200 feet end-to at outer north side of approach and 450 feet at bulkhead along south side of wharf. Ferry service to Lahaina, Maui had been suspended at time of survey; passenger shelter is located at inner end of north side.  
 Year of Last Survey: 1998 Corps of Engnrs Waterway Code: 84636 Dock Code: 350 Pacific Ocean Division

---

## Port Series No. 50

### Ports of Hawaii (Honolulu, Port Allen, Nawiliwili, Kahului, Kaunakakai, Kawaihae, and Hilo)

Port: **Hawaii**

Waterway: **Kawaihae Harbor Basin, Hawaii** Mile: PWD: 61

Name: **State of Hawaii, Kawaihae Pier 1.**

Location: Island of Hawaii, northwest portion, outer end, north side of Kawaihae Harbor Basin. Datum: MLLW

Operator: State of Hawaii, Department of Transportation, Harbors Division; and others. (See Rem

Owner: State of Hawaii, Department of Transportation, Harbors Division.

Address: Phone: 808/882-7716

Town: Kawaihae State: HI County: Hawaii

Railway Connection: None.

Purpose: Receipt and shipment of conventional and containerized general cargo and automobiles; receipt of cement and lumber; shipment of perishable food commodities.

Depth Alongside (feet): 20 - 24 | | Latitude (decimal): 20.041111

Total Berthing Space (feet): 410 | | Longitude (decimal): -155.8333

Remarks: Young Brothers, Ltd., an HEI Co.: Approximately 2.3 acres of partly paved storage area, including 20 refrigerated container positions are located at rear. Hawaiian Cement Corp: Two 10-inch pneumatic pipelines extend from wharf to two cement storage tanks, total capacity 3,800 tons. □ Recreational craft are moored in the nearby North Boat Basin which is approximately 250 feet square; entrance to the basin is located approximately 250 feet west of wharf.

Year of Last Survey: 1998 Corps of Engrs Waterway Code: 84058 Dock Code: 010 Pacific Ocean Division

Port: **Hawaii**

Waterway: **Kawaihae Harbor Basin, Hawaii** Mile: PWD: 62

Name: **State of Hawaii, Kawaihae Pier 2.**

Location: Island of Hawaii, northwest portion, inner end, north side of Kawaihae Harbor Basin. Datum: MLLW

Operator: State of Hawaii, Department of Transportation, Harbors Division; and others. (See Rem

Owner: State of Hawaii, Department of Transportation, Harbors Division.

Address: Phone: 808/933-4778

Town: Kawaihae State: HI County: Hawaii

Railway Connection: None.

Purpose: Receipt and shipment of conventional and containerized general cargo and automobiles; receipt of petroleum products; shipment of aggregate.

Depth Alongside (feet): 35 | | Latitude (decimal): 20.04

Total Berthing Space (feet): 1,152 | | Longitude (decimal): -155.8325

Remarks: Matson Navigation Co.: Approximately 9 acres of open storage area are located at rear. □ Young Brothers, Ltd., an HEI Co.: See Remarks under Ref. No. 61. Tosco Distribution Corp.: Two 6-inch pipelines extend from wharf to five steel storage tanks in rear, total capacity 41,000 barrels. □ Mooring facilities for recreational craft are located at South Small Boat Harbor on a 200- by 8-foot timber pile, timber-decked wharf located 75 feet south of wharf.

Year of Last Survey: 1998 Corps of Engrs Waterway Code: 84058 Dock Code: 020 Pacific Ocean Division

## Port Series No. 50

### Ports of Hawaii (Honolulu, Port Allen, Nawiliwili, Kahului, Kaunakakai, Kawaihae, and Hilo)

Port: **Hawaii**  
 Waterway: **Keehi Lagoon Barge Channel** Mile: PWD: 38  
 Name: **State of Hawaii, Pier 60.**  
 Location: East side of turning basin, at inner end of Keehi Lagoon Barge Channel. Datum: MLLW  
 Operator: State of Hawaii, Department of Transportation, Harbors Division.  
 Owner: State of Hawaii, Department of Transportation, Harbors Division.  
 Address: Phone: (808) 587-1880  
 Town: Honolulu State: HI County: Honolulu  
 Railway Connection: None.  
 Purpose: Receipt of sand and gravel by barge; mooring barges.  
 Depth Alongside (feet): 15 | | Latitude (decimal): 21.323611  
 Total Berthing Space (feet): 250 | | Longitude (decimal): -157.8944  
 Remarks: Approximately 1 acre of open storage area is located at rear. □□  
 Year of Last Survey: 1998 Corps of Engrs Waterway Code: 84752 Dock Code: 229 Pacific Ocean Division

---

Port: **Hawaii**  
 Waterway: **Kewalo Basin** Mile: PWD: 6  
 Name: **Honolulu Marine, Kewalo Shipyard Wharf.**  
 Location: Westerly side of Kewalo Channel. Datum: MLLW  
 Operator: Honolulu Marine, Inc. and Paradise Cruise, Ltd.  
 Owner: State of Hawaii, Department of Transportation, Harbors Division.  
 Address: 123 Ahui Street. Phone: 808-537-2939  
 Town: Honolulu State: HI County: Honolulu  
 Railway Connection: None.  
 Purpose: Mooring fishing boats and various types of small vessels for repair and outfitting; mooring harbor sightseeing vessel 'Star of Honolulu.'  
 Depth Alongside (feet): 12 - 14 | 0 - 14 | Latitude (decimal): 21.292778  
 Total Berthing Space (feet): 220 | 140 | Longitude (decimal): -157.8594  
 Remarks: Marine repair plant is located at rear. One 120-ton marine railway is located at head of slip, formed by inner side of wharf with outer side of Ref. No. 5; slip is approximately 50 feet wide. Side-haul rails for boat cradles extend from transfer table at inner end of marine railway to open repair area along rear of marine repair plant building; 14 cradles are available. □ Star of Honolulu berths at row of steel breasting dolphins at outer end offace; access is via covered passenger ramp.  
 Year of Last Survey: 1998 Corps of Engrs Waterway Code: 84753 Dock Code: 002 Pacific Ocean Division

---



**Port Series No. 50**  
**Ports of Hawaii (Honolulu, Port Allen, Nawiliwili, Kahului, Kaunakakai,**  
**Kawaihae, and Hilo)**

Port: **Hawaii**  
Waterway: **Kewalo Basin** Mile: PWD: 3  
Name: **State of Hawaii, Kewalo Basin, East Side Mooring Piers.**  
Location: Easterly side of Kewalo Basin. Datum: MLLW  
Operator: State of Hawaii, Department of Transportation, Harbors Division.  
Owner: State of Hawaii, Department of Transportation, Harbors Division.  
Address: Phone: (808) 587-1880  
Town: Honolulu State: HI County: Honolulu  
Railway Connection: None.  
Purpose: Mooring fishing vessels; handling fishing gear and supplies; fueling fishing vessels.  
Depth Alongside (feet): 5 - 20 | 5 - 20 | 5 - 20 Latitude (decimal): 21.2925  
Total Berthing Space (feet): 300, | 800, | 28 Longitude (decimal): -157.8556  
Remarks: Northerly pier is 280 by 80 feet, with 24 boat stalls. Boat stalls are formed by seven 60- by 3-foot, and seven 50- by 3-foot concrete-mooring piers extending perpendicular from sides of a 317-foot pier; and by six 50- by 3-foot, and six 40- by 3-foot concrete-mooring piers extending perpendicular from sides of a 280-foot pier. Paved area located along and in rear of bulkhead is used as a roadway and automobile parking area. Kewalo Marine Services, located at 1125C Ala Moana Blvd., provides fueling for fishing vessels directly from fueling truck. Kewalo Basin Marine Mammal Laboratory, University of Hawaii is located at rear.

Year of Last Survey: 1998 Corps of Engnrs Waterway Code: 84753 Dock Code: 005 Pacific Ocean Division

Port: **Hawaii**  
Waterway: **Kewalo Basin** Mile: PWD: 4  
Name: **State of Hawaii, Kewalo Basin, North Side Mooring Piers.**  
Location: Northerly side of Kewalo Basin. Datum: MLLW  
Operator: State of Hawaii, Department of Transportation, Harbors Division.  
Owner: State of Hawaii, Department of Transportation, Harbors Division.  
Address: Phone: (808) 587-1880  
Town: Honolulu State: HI County: Honolulu  
Railway Connection: None.  
Purpose: Mooring commercial and sport fishing boats and harbor sightseeing boats; handling fishing gear and supplies.  
Depth Alongside (feet): 3 - 20 | 3 - 20 | 3 - 20 Latitude (decimal): 21.293889  
Total Berthing Space (feet): 300, | 300, | 20 Longitude (decimal): -157.8564  
Remarks: Six westerly piers are 90- by 10-foot, each with 180 feet of berthing space. Boat stalls are formed by ten 65- by 3-foot and one 40- by 3-foot piers extending from sides of a 400-foot pier. Paved area along and in rear of bulkhead is used as a roadway and automobile parking area. Building located in rear of easterly portion of bulkhead is used by charter boat operators.

Year of Last Survey: 1998 Corps of Engnrs Waterway Code: 84753 Dock Code: 005 Pacific Ocean Division

**Port Series No. 50**  
**Ports of Hawaii (Honolulu, Port Allen, Nawiliwili, Kahului, Kaunakakai,**  
**Kawaihae, and Hilo)**

Port: **Hawaii**  
Waterway: **Kewalo Basin** Mile: PWD: 2  
Name: **State of Hawaii, Kewalo Basin, South Side Mooring Piers.**  
Location: Southerly side of Kewalo Basin, approximately 350 feet east of entrance. Datum: MLLW  
Operator: State of Hawaii, Department of Transportation, Harbors Division.  
Owner: State of Hawaii, Department of Transportation, Harbors Division.  
Address: Phone: (808) 587-1880  
Town: Honolulu State: HI County: Honolulu  
Railway Connection: None.  
Purpose: Mooring fishing vessels.  
Depth Alongside (feet): 5 - 20 | 5 - 20 | 5 - 20 Latitude (decimal): 21.291667  
Total Berthing Space (feet): 320 | 90 | 1,092 Longitude (decimal): -157.8569  
Remarks: Paved area located along and in rear of bulkhead is used as a roadway and automobile parking area. □  
Year of Last Survey: 1998 Corps of Engrs Waterway Code: 84753 Dock Code: 005 Pacific Ocean Division

---

Port: **Hawaii**  
Waterway: **Kewalo Basin** Mile: PWD: 5  
Name: **State of Hawaii, Kewalo Basin, West Side Wharf.**  
Location: Westerly side of entrance to lower Kewalo Basin. Datum: MLLW  
Operator: State of Hawaii, Department of Transportation, Harbors Division.  
Owner: State of Hawaii, Department of Transportation, Harbors Division.  
Address: Phone: (808) 587-1880  
Town: Honolulu State: HI County: Honolulu  
Railway Connection: None.  
Purpose: Receipt of seafood; mooring fishing vessels; handling supplies and equipment for fishing vessels.  
Depth Alongside (feet): 17 | 0 - 17 | Latitude (decimal): 21.293333  
Total Berthing Space (feet): 650 | | Longitude (decimal): -157.8581  
Remarks: Former cannery is located at rear of outer portion of wharf. Fisherman's Wharf Restaurant is located at rear of inner portion of wharf. □  
Year of Last Survey: 1998 Corps of Engrs Waterway Code: 84753 Dock Code: 005 Pacific Ocean Division

---

# **Port Series No. 50** **Ports of Hawaii (Honolulu, Port Allen, Nawiliwili, Kahului, Kaunakakai, Kawaihae, and Hilo)**

Port: **Hawaii**  
Waterway: **Kewalo Basin** Mile: PWD: 1  
Name: **State of Hawaii, Kewalo Wharf.**  
Location: Southerly side of Kewalo Basin, adjacent to entrance. Datum: MLLW  
Operator: State of Hawaii, Department of Transportation, Harbors Division.  
Owner: State of Hawaii, Department of Transportation, Harbors Division.  
Address: 1125-B Ala Moana Blvd. Phone: (808) 587-1880  
Town: Honolulu State: HI County: Honolulu  
Railway Connection: None.  
Purpose: Handling gear and equipment for fishing vessels; icing and mooring fishing vessels.  
Depth Alongside (feet): 15 - 20 | | Latitude (decimal): 21.291944  
Total Berthing Space (feet): 196 | | Longitude (decimal): -157.8578  
Remarks: Building in rear is used by National Marine Fisheries Service as offices and for storage of supplies and equipment. □  
Year of Last Survey: 1998 Corps of Engrs Waterway Code: 84753 Dock Code: 005 Pacific Ocean Division

---

Port: **Hawaii**  
Waterway: **Kuhio Bay, Hawaii** Mile: PWD: 66  
Name: **State of Hawaii, Hilo Pier 1.**  
Location: Island of Hawaii, northeasterly portion, adjacent to inner end of Hilo breakwater. Datum: MLLW  
Operator: State of Hawaii, Department of Transportation, Harbors Division; and others. (See Rem  
Owner: State of Hawaii, Department of Transportation, Harbors Division.  
Address: Phone: 808-933-4778  
Town: Hilo State: HI County: Hawaii  
Railway Connection: None.  
Purpose: Receipt and shipment of conventional and containerized general cargo and automobiles; receipt of dry bulk commodities, bulk fertilizer, and lumber; boarding passengers.  
Depth Alongside (feet): 34 | | Latitude (decimal): 19.731111  
Total Berthing Space (feet): 1,255 | | Longitude (decimal): -155.0542  
Remarks: Matson Navigation Co.: Approximately 10 acres of open storage area, including 70 refrigerated containers positions, are located at outer end of wharf and at rear of transit shed. A 466-foot-long concrete bulkhead extending east from rear of face (Radio Bay Wharf) is used for mooring small craft, including pilot boat in small boat house and U.S. Coast Guard vessels at a steel pile, timber-decked pier located adjacent to boat house.  
Year of Last Survey: 1998 Corps of Engrs Waterway Code: 84012 Dock Code: 964 Pacific Ocean Division

---

**Port Series No. 50**  
**Ports of Hawaii (Honolulu, Port Allen, Nawiliwili, Kahului, Kaunakakai,**  
**Kawaihae, and Hilo)**

Port: **Hawaii**  
Waterway: **Kuhio Bay, Hawaii** Mile: PWD: 65  
Name: **State of Hawaii, Hilo Pier 2.**  
Location: Island of Hawaii, northeasterly portion, east side of pier located 1,500 feet east of Hilo breakwater. Datum: MLLW  
Operator: State of Hawaii, Department of Transportation, Harbors Division; and others. (See Rem  
Owner: State of Hawaii, Department of Transportation, Harbors Division.  
Address: Phone: 808-933-4778  
Town: Hilo State: HI County: Hawaii  
Railway Connection: None.  
Purpose: Receipt and shipment of conventional and containerized general cargo and automobiles; receipt of bulk cement and lumber.  
Depth Alongside (feet): 35 | | Latitude (decimal): 19.73  
Total Berthing Space (feet): 549 | | Longitude (decimal): -155.0556  
Remarks: Platform at inner end is used for stern loading of roll-on/roll-off cargo and also serves Pier 1 (Ref. No. 66). ☐ Young Brothers, Ltd., an HEI Co.: Approximately 4 acres of paved storage area, including five refrigerated container positions, are located at rear of Piers 2 and 3. ☐ Hawaiian Cement Corp.: One 10-inch pipeline extends from wharf to one 2,000-ton-capacity bulk cement storage tank.  
Year of Last Survey: 1998 Corps of Engrs Waterway Code: 84012 Dock Code: 960 Pacific Ocean Division

---

# **Port Series No. 50** **Ports of Hawaii (Honolulu, Port Allen, Nawiliwili, Kahului, Kaunakakai, Kawaihae, and Hilo)**

Port: **Hawaii**  
Waterway: **Kuhio Bay, Hawaii** Mile: PWD: 64  
Name: **State of Hawaii, Hilo Pier 3.**  
Location: Island of Hawaii, northeasterly portion, east side of pier located 1,500 feet east of Hilo breakwater. Datum: MLLW  
Operator: State of Hawaii, Department of Transportation, Harbors Division; and others. (See Rem  
Owner: State of Hawaii, Department of Transportation, Harbors Division.  
Address: Phone: 808-933-4778  
Town: Hilo State: HI County: Hawaii  
Railway Connection: None.  
Purpose: Receipt and shipment of conventional and containerized general cargo and automobiles; receipt of petroleum products, dry bulk commodities, and liquefied petroleum gas; boarding passengers; mooring towboats.  
Depth Alongside (feet): 35 | | Latitude (decimal): 19.73  
Total Berthing Space (feet): 636 | | Longitude (decimal): -155.0561  
Remarks: Young Brothers, Ltd., an HEI Co.: See Remarks under Ref No. 65. □Chevron Products Co., Inc.: One 10- and three 8-inch pipelines extend from wharf to 16 storage tanks at rear, total capacity 118,000 barrels. Tosco Distribution Corp.: One 8-, three 6-, and one 4-inch pipelines extending from wharf to seven steel storage tanks at rear, total capacity 96,000 barrels, were not in use at time survey. Texaco Refining and Marketing, Inc.: Three 6-inch pipelines extend from wharf to seven storage tanks at rear, total capacity 45,000 barrels. □Tesoro Petroleum Corp.: Two 6-inch pipelines extend from wharf to three storagetanks at rear, total capacity 33,900 barrels. □Shell Oil Co.: One 8-inch pipeline extends from wharf to seven steel storage tanks at rear, total capacity 63,000 barrels. Citizens Energy Services, d.b.a. The Gas Co.: One 8-inch pipeline extends from wharf to 21 storage tanks at rear, total capacity 17,300 barrels.

Year of Last Survey: 1998 Corps of Engnrs Waterway Code: 84012 Dock Code: 950 Pacific Ocean Division

Port: **Hawaii**  
Waterway: **Main Basin** Mile: PWD: 15  
Name: **State of Hawaii, Pier 15.**  
Location: Easterly side of Main Basin, between foot of Maunakea and Kekaulike Streets. Datum: MLLW  
Operator: City and County of Honolulu Fire Department and State of Hawaii, Department of Transp  
Owner: State of Hawaii, Department of Transportation, Harbors Division.  
Address: 111 N. Nimitz Highway. Phone: (808) 587-1880  
Town: Honolulu State: HI County: Honolulu  
Railway Connection: None.  
Purpose: Lower side: Mooring fireboat 'Moku Ahi'; □Face: Receipt of seafood; mooring fishing vessels.  
Depth Alongside (feet): 18 | 12 | 12 Latitude (decimal): 21.310278  
Total Berthing Space (feet): 440 | 55 | 40 Longitude (decimal): -157.8658  
Remarks: Concrete building at rear of upper portion of wharf is used for storage of supplies; building at rear of lower portion of wharf provides accommodations and headquarters for fireboat crew. At time of survey (1998), plans called for the reconstruction of the pier with a concrete pile, concrete-decked extension.

Year of Last Survey: 1998 Corps of Engnrs Waterway Code: 84752 Dock Code: 062 Pacific Ocean Division

**Port Series No. 50**  
**Ports of Hawaii (Honolulu, Port Allen, Nawiliwili, Kahului, Kaunakakai,**  
**Kawaihae, and Hilo)**

Port: **Hawaii**  
Waterway: **Main Basin** Mile: PWD: 16  
Name: **State of Hawaii, Pier 16.**  
Location: Northerly side of Main Basin, west of Nuuanu Stream, above foot of River Street. Datum: MLLW  
Operator: State of Hawaii, Department of Transportation, Harbors Division.  
Owner: State of Hawaii, Department of Transportation, Harbors Division.  
Address: Phone: (808) 587-1880  
Town: Honolulu State: HI County: Honolulu  
Railway Connection: None.  
Purpose: Mooring fishing vessels.  
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 21.312778  
Total Berthing Space (feet): | 330 | 330 Longitude (decimal): -157.8661  
Remarks: Pier forms 145-foot-wide slip with adjacent Pier 17 (Ref. No. 17). A 25-foot-wide access roadway extends across inner end of slip. □  
Year of Last Survey: 1998 Corps of Engrs Waterway Code: 84752 Dock Code: 065 Pacific Ocean Division

---

Port: **Hawaii**  
Waterway: **Main Basin** Mile: PWD: 17  
Name: **State of Hawaii, Pier 17.**  
Location: Inner end of Main Basin, below foot of Sumner Street. Datum: MLLW  
Operator: State of Hawaii, Department of Transportation, Harbors Division.  
Owner: State of Hawaii, Department of Transportation, Harbors Division.  
Address: Phone: (808) 587-1880  
Town: Honolulu State: HI County: Honolulu  
Railway Connection: None.  
Purpose: Mooring fishing vessels.  
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 21.313056  
Total Berthing Space (feet): | 408 | 395 Longitude (decimal): -157.8667  
Remarks: Pier forms 115-foot-wide slip with adjacent Pier 18 (Ref. No. 18). A 30-foot-wide access roadway extends across inner end of slip. Pier is equipped with 4-inch sanitary sewer line.  
Year of Last Survey: 1998 Corps of Engrs Waterway Code: 84752 Dock Code: 073 Pacific Ocean Division

---

# **Port Series No. 50** **Ports of Hawaii (Honolulu, Port Allen, Nawiliwili, Kahului, Kaunakakai, Kawaihae, and Hilo)**

Port: **Hawaii**  
Waterway: **Main Basin** Mile: PWD: 18  
Name: **State of Hawaii, Pier 18.**  
Location: Inner end, upper side of Main Basin, below foot of Sumner Street. Datum: MLLW  
Operator: State of Hawaii, Department of Transportation, Harbors Division.  
Owner: State of Hawaii, Department of Transportation, Harbors Division.  
Address: Phone: (808) 587-1880  
Town: Honolulu State: HI County: Honolulu  
Railway Connection: None.  
Purpose: Mooring and handling supplies to and from fishing vessels.  
Depth Alongside (feet): 20 | | Latitude (decimal): 21.313889  
Total Berthing Space (feet): 212 | | Longitude (decimal): -157.8669  
Remarks: -□□  
Year of Last Survey: 1998 Corps of Engnrs Waterway Code: 84752 Dock Code: 076 Pacific Ocean Division

Port: **Hawaii**  
Waterway: **Main Basin** Mile: PWD: 20  
Name: **State of Hawaii, Pier 21.**  
Location: North side, Main Basin, foot of Kukahi Street. Datum: MLLW  
Operator: Hawaiian Tug & Barge, an HEI Co.; and Smith Maritime.  
Owner: State of Hawaii, Department of Transportation, Harbors Division.  
Address: Phone: 808-543-9311  
Town: Honolulu State: HI County: Honolulu  
Railway Connection: None.  
Purpose: Mooring, repairing, fueling, and dispatching company-owned towboats; mooring company-owned floating equipment.  
Depth Alongside (feet): 35 | 10 - 35 | 10 - 35 Latitude (decimal): 21.31  
Total Berthing Space (feet): 425 | - | 70 Longitude (decimal): -157.8686  
Remarks: Steel frame, metal-covered building at rear of face of wharf has 9,000 square feet of space and is used by Smith Maritime as machine shop, tool room, storage locker, and offices. An additional steel frame, metal-covered building located at rear of piers has 5,000 square feet of space and is used by Hawaiian Tug & Barge as carpenter shop, tool room, storage locker, and offices.  
Year of Last Survey: 1998 Corps of Engnrs Waterway Code: 84752 Dock Code: 092 Pacific Ocean Division

## Port Series No. 50

### Ports of Hawaii (Honolulu, Port Allen, Nawiliwili, Kahului, Kaunakakai, Kawaihae, and Hilo)

Port: **Hawaii**  
 Waterway: **Main Basin** Mile: PWD: 23  
 Name: **State of Hawaii, Pier 26.**  
 Location: Main Basin, northeast side of slip No. 2. Datum: MLLW  
 Operator: Young Brothers, Ltd., an HEI Co.  
 Owner: State of Hawaii, Department of Transportation, Harbors Division.  
 Address: Phone: 808-543-9406  
 Town: Honolulu State: HI County: Honolulu  
 Railway Connection: None.  
 Purpose: Receipt and shipment of conventional, containerized, and roll-on/ roll-off general cargo and automobiles by barge in inter-island trade.  
 Depth Alongside (feet): 22 - 29 | 22 | Latitude (decimal): 21.309722  
 Total Berthing Space (feet): 695 | | Longitude (decimal): -157.87  
 Remarks: Inner end of slip is used for stern loading of roll-on/roll-off cargo. (See Remarks under Ref. No. 22.)  
 Year of Last Survey: 1998 Corps of Engnrs Waterway Code: 84752 Dock Code: 119 Pacific Ocean Division

---

Port: **Hawaii**  
 Waterway: **Main Basin** Mile: PWD: 24  
 Name: **State of Hawaii, Pier 27.**  
 Location: Main Basin, southwest side of Slip No. 2, in rear of Pier 28. Datum: MLLW  
 Operator: Young Brothers, Ltd., an HEI Co.  
 Owner: State of Hawaii, Department of Transportation, Harbors Division.  
 Address: Phone: 808-543-9400  
 Town: Honolulu State: HI County: Honolulu  
 Railway Connection: None.  
 Purpose: Receipt and shipment of conventional, containerized, and roll-on/ roll-off general cargo and automobiles by barge in inter-island trade.  
 Depth Alongside (feet): 29 | 18 - 25 | Latitude (decimal): 21.310278  
 Total Berthing Space (feet): 665 | 150 | Longitude (decimal): -157.8708  
 Remarks: Transit shed is located between and serves Piers 27 and 28. At time of survey (1998), outer end was in poor condition and suitable only for mooring barges. (See Remarks under Ref. No. 22.)  
 Year of Last Survey: 1998 Corps of Engnrs Waterway Code: 84752 Dock Code: 122 Pacific Ocean Division

---



**Port Series No. 50**  
**Ports of Hawaii (Honolulu, Port Allen, Nawiliwili, Kahului, Kaunakakai,**  
**Kawaihae, and Hilo)**

Port: **Hawaii**  
Waterway: **Main Basin** Mile: PWD: 9  
Name: **State of Hawaii, Pier 5.**  
Location: Northeast side of Main Basin, foot of Richards Street. Datum: MLLW  
Operator: State of Hawaii, Department of Transportation, Harbors Division.  
Owner: State of Hawaii, Department of Transportation, Harbors Division.  
Address: Phone: (808) 587-1880  
Town: Honolulu State: HI County: Honolulu  
Railway Connection: None.  
Purpose: Mooring harbor sightseeing boat 'Ali'i Kai.'  
Depth Alongside (feet): 20 | | Latitude (decimal): 21.303889  
Total Berthing Space (feet): 100 | | Longitude (decimal): -157.8639  
Remarks: Automobile parking lot is located at rear. □ □  
Year of Last Survey: 1998 Corps of Engnrs Waterway Code: 84752 Dock Code: 027 Pacific Ocean Division

---

Port: **Hawaii**  
Waterway: **Main Basin** Mile: PWD: 10  
Name: **State of Hawaii, Pier 6.**  
Location: Northeast side of Main Basin, foot of Alakea Street. Datum: MLLW  
Operator: State of Hawaii, Department of Transportation, Harbors Division and Royal Hawaiian Cr  
Owner: State of Hawaii, Department of Transportation, Harbors Division.  
Address: Phone: (808) 587-1880  
Town: Honolulu State: HI County: Honolulu  
Railway Connection: None.  
Purpose: Mooring harbor sightseeing boat 'Navatek I.'  
Depth Alongside (feet): 20 | | Latitude (decimal): 21.305  
Total Berthing Space (feet): 250 | | Longitude (decimal): -157.8644  
Remarks: Automobile parking lot and ticket office are located at rear. □ □  
Year of Last Survey: 1998 Corps of Engnrs Waterway Code: 84752 Dock Code: 029 Pacific Ocean Division

---

**Port Series No. 50**  
**Ports of Hawaii (Honolulu, Port Allen, Nawiliwili, Kahului, Kaunakakai,**  
**Kawaihae, and Hilo)**

Port: **Hawaii**  
Waterway: **Main Basin** Mile: PWD: 11  
Name: **State of Hawaii, Pier 7.**  
Location: East side of Main Basin, between foot of Alakea and Bishop Streets. Datum: MLLW  
Operator: State of Hawaii, Department of Transportation, Harbors Division.  
Owner: State of Hawaii, Department of Transportation, Harbors Division.  
Address: Phone: 808-523-6151  
Town: Honolulu State: HI County: Honolulu  
Railway Connection: None.  
Purpose: Mooring harbor sightseeing vessel 'Kulamanu'; mooring museum ship 'Falls of Clyde.'  
Depth Alongside (feet): - | 14 | 25 Latitude (decimal): 21.305278  
Total Berthing Space (feet): | 415 | 120 Longitude (decimal): -157.8653  
Remarks: Hawaii Maritime Center and restaurant 'Pier 7' are located on pier.□□  
Year of Last Survey: 1998 Corps of Engnrs Waterway Code: 84752 Dock Code: 032 Pacific Ocean Division

---

Port: **Hawaii**  
Waterway: **Main Basin** Mile: PWD: 12  
Name: **State of Hawaii, Pier 8.**  
Location: Northeasterly side of Main Basin, foot of Bishop Street. Datum: MLLW  
Operator: State of Hawaii, Department of Transportation, Harbors Division.  
Owner: State of Hawaii, Department of Transportation, Harbors Division.  
Address: Phone: (808) 587-1880  
Town: Honolulu State: HI County: Honolulu  
Railway Connection: None.  
Purpose: Mooring harbor sightseeing vessels.  
Depth Alongside (feet): 34 | | Latitude (decimal): 21.305833  
Total Berthing Space (feet): 595 | | Longitude (decimal): -157.8658  
Remarks: Aloha Tower Marketplace is located at rear in former transit shed.□□  
Year of Last Survey: 1998 Corps of Engnrs Waterway Code: 84752 Dock Code: 035 Pacific Ocean Division

---

# **Port Series No. 50** **Ports of Hawaii (Honolulu, Port Allen, Nawiliwili, Kahului, Kaunakakai, Kawaihae, and Hilo)**

Port: **Hawaii**  
Waterway: **Main Basin** Mile: PWD: 14  
Name: **State of Hawaii, Piers 13 and 14.**  
Location: Easterly side of Main Basin, foot of Smith Street. Datum: MLLW  
Operator: North Pacific Construction, Inc. and Pacific Environmental Corp.  
Owner: State of Hawaii, Department of Transportation, Harbors Division.  
Address: 65 N. Nimitz Highway. Phone: (808) 545-5490  
Town: Honolulu State: HI County: Honolulu  
Railway Connection: None.  
Purpose: Mooring company-owned floating equipment.  
Depth Alongside (feet): 25 | 25 | 21 Latitude (decimal): 21.309444  
Total Berthing Space (feet): 150 | 340 | 280 Longitude (decimal): -157.8647  
Remarks: Actual pier width is 139 feet, face of pier is at angle to sides. Transit shed is used by operators for storage and for automobile parking. □  
Year of Last Survey: 1998 Corps of Engrs Waterway Code: 84752 Dock Code: 054 Pacific Ocean Division

---

Port: **Hawaii**  
Waterway: **Main Basin** Mile: PWD: 19  
Name: **State of Hawaii, Piers 19 and 20.**  
Location: North side, Main Basin, east of Kukahi Street. Datum: MLLW  
Operator: Sause Brothers, Inc.  
Owner: State of Hawaii, Department of Transportation, Harbors Division.  
Address: Phone: 808-521-5082  
Town: Honolulu State: HI County: Honolulu  
Railway Connection: None.  
Purpose: Mooring company-owned towboats and barges; mooring pilot boat.  
Depth Alongside (feet): 32 - 34 | | Latitude (decimal): 21.311667  
Total Berthing Space (feet): 1,060 | | Longitude (decimal): -157.8678  
Remarks: Approximately 2.5 acres of open storage area are located at rear of outer end (Pier 20). Transit shed was used for automobile parking and storage by Sause Brothers, Inc. at time of survey. Pilot boat moors at inner end (Pier 19).  
Year of Last Survey: 1998 Corps of Engrs Waterway Code: 84752 Dock Code: 082 Pacific Ocean Division

---

# **Port Series No. 50** **Ports of Hawaii (Honolulu, Port Allen, Nawiliwili, Kahului, Kaunakakai, Kawaihae, and Hilo)**

Port: **Hawaii**  
Waterway: **Main Basin** Mile: PWD: 21  
Name: **State of Hawaii, Piers 22 and 23.**  
Location: Main Basin, east side of Slip No. 1, east of foot of Pacific Street extended. Datum: MLLW  
Operator: Hawaiian Flour Mills (HFM); Hawaiian Tug & Barge, an HEI Co.; and Smith Maritime.  
Owner: State of Hawaii, Department of Transportation, Harbors Division.  
Address: Phone: 808-527-3222  
Town: Honolulu State: HI County: Honolulu  
Railway Connection: None.  
Purpose: Receipt of grain; mooring company-owned towboats, floating equipment, and barges.  
Depth Alongside (feet): 30 | | Latitude (decimal): 21.311111  
Total Berthing Space (feet): 800, | | Longitude (decimal): -157.8694  
Remarks: Hawaiian Flour Mills (HFM): Grain elevator located at rear of Pier 23 consists of 20 concrete silos with 11 interstices, total capacity 26,000 tons. Piers 22 and 23 are contiguous and form slip approximately 200 to 250 feet wide with Piers 24 and 25 (Ref. No. 21).  
Year of Last Survey: 1998 Corps of Engrs Waterway Code: 84752 Dock Code: 097 Pacific Ocean Division

---

Port: **Hawaii**  
Waterway: **Main Basin** Mile: PWD: 22  
Name: **State of Hawaii, Piers 24 and 25.**  
Location: Main Basin, west side of Slip No. 1, foot of Pacific Street extended. Datum: MLLW  
Operator: Young Brothers, Ltd., an HEI Co.; and Hawaiian Tug & Barge, an HEI Co.  
Owner: State of Hawaii, Department of Transportation, Harbors Division.  
Address: Phone: 808-543-9406  
Town: Honolulu State: HI County: Honolulu  
Railway Connection: None.  
Purpose: Receipt and shipment of conventional, containerized, and roll-on/ roll-off general cargo and automobiles by barge in inter-island trade; mooring company-owned towboats, barges and floating equipment.  
Depth Alongside (feet): 23 - 30 | | Latitude (decimal): 21.310556  
Total Berthing Space (feet): 575 | | Longitude (decimal): -157.8703  
Remarks: Pier 25 shed, located at outer end of wharf, is triangular in shape; also fronts along outer portion of Pier 26 (Ref. No. 23). At time of survey (1998), plans called for Young Brothers, Ltd. to move all cargo operations to Piers 39 and 40 (Ref. Nos. 33 and 34).  
Year of Last Survey: 1998 Corps of Engrs Waterway Code: 84752 Dock Code: 110 Pacific Ocean Division

---

## Port Series No. 50

### Ports of Hawaii (Honolulu, Port Allen, Nawiliwili, Kahului, Kaunakakai, Kawaihae, and Hilo)

Port: **Hawaii**  
 Waterway: **Main Basin** Mile: PWD: 13  
 Name: **State of Hawaii, Piers 9, 10, and 11.**  
 Location: Northeastly side of Main Basin, outer and upper sides of pier, above foot of Bishop Street. Datum: MLLW  
 Operator: State of Hawaii, Department of Transportation, Harbors Division.  
 Owner: State of Hawaii, Department of Transportation, Harbors Division.  
 Address: Phone: (808) 587-1880  
 Town: Honolulu State: HI County: Honolulu  
 Railway Connection: None.  
 Purpose: Boarding and disembarking passengers; mooring vessels.  
 Depth Alongside (feet): 34 | 34 | Latitude (decimal): 21.307778  
 Total Berthing Space (feet): 608 | 956 | Longitude (decimal): -157.8661  
 Remarks: Offices and passenger terminal with corridors to passengers gallery are located on 2nd floor-level portion of former transit shed. Access to pier aprons is through transit shed from foot of Fort Street. Aloha Tower is located on pier.  
 Year of Last Survey: 1998 Corps of Engnrs Waterway Code: 84752 Dock Code: 039 Pacific Ocean Division

---

Port: **Hawaii**  
 Waterway: **Main Basin** Mile: PWD: 8  
 Name: **U.S. Coast Guard, Honolulu Pier 4.**  
 Location: East side of Main Basin, south of foot of Richards Street. Datum: MLLW  
 Operator: U.S. Coast Guard.  
 Owner: U.S. Federal Government.  
 Address: 433 Ala Moana Blvd. Phone: 808-522-8260  
 Town: Honolulu State: HI County: Honolulu  
 Railway Connection: None.  
 Purpose: Mooring U.S. Coast Guard vessels.  
 Depth Alongside (feet): 8 - 28 | | Latitude (decimal): 21.303333  
 Total Berthing Space (feet): 325 | | Longitude (decimal): -157.8639  
 Remarks: Part 1- and part 2-story, 228- and 220-foot by 68- and 15-foot, triangular-shaped building on solid fill is located in rear of face. Pier is used by U.S. Coast Guard shuttle boat for service to main base on Sand Island.  
 Year of Last Survey: 1998 Corps of Engnrs Waterway Code: 84752 Dock Code: 025 Pacific Ocean Division

---

# **Port Series No. 50** **Ports of Hawaii (Honolulu, Port Allen, Nawiliwili, Kahului, Kaunakakai, Kawaihae, and Hilo)**

Port: **Hawaii**  
 Waterway: **Main Basin** Mile: PWD: 43  
 Name: **U.S. Coast Guard, Integrated Support Command, Honolulu, Berth E.**  
 Location: West side of Main Basin, south side of entrance to Kapalama Channel. Datum: MLLW  
 Operator: U.S. Coast Guard.  
 Owner: United States Federal Government.  
 Address: Phone: 808-541-3206  
 Town: Honolulu State: HI County: Honolulu  
 Railway Connection: None.  
 Purpose: Mooring U.S. Coast Guard vessels.  
 Depth Alongside (feet): 27 - 40 | | Latitude (decimal): 21.308333  
 Total Berthing Space (feet): 253 | | Longitude (decimal): -157.8736  
 Remarks: Slips located at inner end are used by vertical boat lift. Wharf is equipped with 4-inch sewage, 2 1/2-inch waste oil, and 2 1/2-inch compressed air pipelines. U.S. Coast Guard Integrated Support Command, Sand Island, Honolulu and buoy storage area are located at rear.  
 Year of Last Survey: 1998 Corps of Engrs Waterway Code: 84752 Dock Code: 962 Pacific Ocean Division

---

Port: **Hawaii**  
 Waterway: **Main Basin** Mile: PWD: 42  
 Name: **U.S. Coast Guard, Integrated Support Command, Honolulu, Berth G.**  
 Location: West side of Main Basin, south side of entrance to Kapalama Channel. Datum: MLLW  
 Operator: U.S. Coast Guard.  
 Owner: United States Federal Government.  
 Address: Phone: 808-541-3206  
 Town: Honolulu State: HI County: Honolulu  
 Railway Connection: None.  
 Purpose: Mooring U.S. Coast Guard vessels.  
 Depth Alongside (feet): 27 - 40 | | Latitude (decimal): 21.309167  
 Total Berthing Space (feet): 125 | | Longitude (decimal): -157.8736  
 Remarks: -□□  
 Year of Last Survey: 1998 Corps of Engrs Waterway Code: 84752 Dock Code: 962 Pacific Ocean Division

---

## Port Series No. 50

### Ports of Hawaii (Honolulu, Port Allen, Nawiliwili, Kahului, Kaunakakai, Kawaihae, and Hilo)

Port: **Hawaii**  
 Waterway: **Main Basin** Mile: PWD: 44  
 Name: **U.S. Coast Guard, Integrated Support Command, Honolulu, Berths A,**  
 Location: West side of Main Basin, opposite Pier 28 (Ref. No. 25). Datum: MLLW  
 Operator: U.S. Coast Guard.  
 Owner: United States Federal Government.  
 Address: Phone: 808-541-3206  
 Town: Honolulu State: HI County: Honolulu  
 Railway Connection: None.  
 Purpose: Mooring U.S. Coast Guard vessels.  
 Depth Alongside (feet): 30 - 35 | | Latitude (decimal): 21.306944  
 Total Berthing Space (feet): 600 | | Longitude (decimal): -157.8725  
 Remarks: A 20-foot-wide slip is located at rear of 100-foot-long wharf extension. Wharf is equipped with 4-inch sewage, 1 1/2-inch waste oil, and 1 1/2-inch compressed air pipelines. Covered boat house at inner end of 35-foot-wide slip, at upper end of wharf, has berthing space for four small patrol boats at center concrete pier.  
 Year of Last Survey: 1998 Corps of Engnrs Waterway Code: 84752 Dock Code: 962 Pacific Ocean Division

---

Port: **Hawaii**  
 Waterway: **Mamala Bay** Mile: PWD: 45  
 Name: **Chevron Products Co., Hawaiian Refinery, Barbers Point Mooring.**  
 Location: West end, Mamala Bay, rectangular anchorage area, approximately 2 1/2 miles southeast of Barbers Point. Datum: MLLW  
 Operator: Chevron Products Co., Inc.  
 Owner: Chevron Products Co., Inc.  
 Address: 91-480 Malakole St. Phone: 808/682-2308  
 Town: Kapolei State: HI County: Honolulu  
 Railway Connection: None.  
 Purpose: Receipt of crude oil and fuel oil; bunkering vessels using facility.  
 Depth Alongside (feet): 70 | | Latitude (decimal): 21.280556  
 Total Berthing Space (feet): 1,000 | | Longitude (decimal): -158.0717  
 Remarks: One 30- and one 20-inch pipelines, each with 16-inch hose, and two 12-inch vessel connections extend to eight crude oil storage tanks, total capacity 1,900,000 barrels, and seven fuel oil storage tanks, total capacity 420,000 barrels. □Two 8-inch pipelines extend from refinery to Honolulu terminal. (See Ref. No. 26).Eight-inch pipelines extend from refinery to Hawaiian Electric Co.'s Kahe Point and Waiau Power Plants, each with four fuel oil storage tanks and total capacities of 500,000 and 260,000 barrels, respectively. In addition, theWaiau Plant has 2 diesel fuel storage tanks with a total capacity of 46,000 barrels.  
 Year of Last Survey: 1998 Corps of Engnrs Waterway Code: 84746 Dock Code: 003 Pacific Ocean Division

---

## Port Series No. 50

### Ports of Hawaii (Honolulu, Port Allen, Nawiliwili, Kahului, Kaunakakai, Kawaihae, and Hilo)

Port: **Hawaii**  
 Waterway: **Mamala Bay** Mile: PWD: 46  
 Name: **Tesoro Petroleum Corp., Barbers Point Mooring.**  
 Location: West end, Mamala Bay, rectangular anchorage area, approximately 2 miles southeast of Barbers Point. Datum: MLLW  
 Operator: Tesoro Petroleum Corp.  
 Owner: Tesoro Petroleum Corp.  
 Address: Phone: 808/547-3769  
 Town: Kapolei State: HI County: Honolulu  
 Railway Connection: None.  
 Purpose: Receipt and shipment of crude oil and petroleum products; bunkering vessels using facility.  
 Depth Alongside (feet): | | Latitude (decimal): 21.273611  
 Total Berthing Space (feet): 945 | | Longitude (decimal): -158.0917  
 Remarks: One 30- and one 16-inch pipelines, each with 12-inch hose connections, extend to seven crude oil storage tanks, total capacity 2,500,000 barrels; and one 20-inch pipeline with 12-inch hose connection extends from 48 petroleum products storage tanks, total capacity 2,265,000 barrels; all located at refinery on shore in rear. One 10-inch pipeline extends from refinery to Honolulu terminal. (See Ref. No. 28.)

Year of Last Survey: 1998 Corps of Engrs Waterway Code: 84746 Dock Code: 004 Pacific Ocean Division

Port: **Hawaii**  
 Waterway: **Manele Bay, Lanai** Mile: PWD: 56  
 Name: **State of Hawaii, Manele Bay Excursion Piers.**  
 Location: Island of Lanai, south central portion, northwesterly side of Manele Bay. Datum: MLLW  
 Operator: State of Hawaii, Department of Land and Natural Resources; and others. (See Remarks.)  
 Owner: State of Hawaii, Department of Land and Natural Resources.  
 Address: Phone: 808/877-6051  
 Town: Lanai City State: HI County: Maui  
 Railway Connection: None.  
 Purpose: Mooring excursion vessels; boarding passengers.  
 Depth Alongside (feet): 7 | 7 | Latitude (decimal): 20.7425  
 Total Berthing Space (feet): 75 | 60 | Longitude (decimal): -156.8869  
 Remarks: Two companies operate excursion vessels between Manele Harbor and Lahaina, Maui: Expeditions use east pier; Trilogy uses west pier. Additional berthing space for fishing and excursion vessels is available at a series of 12 concrete pile, timber-surfaced concrete-decked piers, each approximately 45 feet long by 4 feet wide at inner side of Manele Harbor.

Year of Last Survey: 1998 Corps of Engrs Waterway Code: 84517 Dock Code: 005 Pacific Ocean Division



## Port Series No. 50

### Ports of Hawaii (Honolulu, Port Allen, Nawiliwili, Kahului, Kaunakakai, Kawaihae, and Hilo)

Port: **Hawaii**  
 Waterway: **Nawiliwili Bay, Kauai** Mile: PWD: 52  
 Name: **State of Hawaii, Nawiliwili Pier 3.**  
 Location: Island of Kauai, southeasterly portion, west side of inner end of Nawiliwili Bay. Datum: MLLW  
 Operator: State of Hawaii, Department of Transportation, Harbors Division; and others. (See Rem  
 Owner: State of Hawaii, Department of Transportation, Harbors Division.  
 Address: Phone: 808-245-4051  
 Town: Nawiliwili State: HI County: Kauai  
 Railway Connection: None.  
 Purpose: Receipt and shipment of conventional and containerized general cargo and automobiles; receipt of liquefied petroleum gas, lumber, and dry bulk fertilizer; boarding passengers; mooring towboats.  
 Depth Alongside (feet): 35 | | Latitude (decimal): 21.951944  
 Total Berthing Space (feet): 627 | | Longitude (decimal): -159.3586  
 Remarks: Young Brothers, Ltd., an HEI Co.: Approximately 15 acres of paved storage area are located at rear.  
           □Citizens Utilities Services, d.b.a. The Gas Co.: One 8- and one 6-inch pipelines extend from wharf to 12 liquefied petroleum gas storage tanks, total capacity 10,550 barrels. □Towboats berth at 122-foot bulkhead located south of stern ramp platform.  
 Year of Last Survey: 1998 Corps of Engrs Waterway Code: 84840 Dock Code: 032 Pacific Ocean Division

---

Port: **Hawaii**  
 Waterway: **Nawiliwili Bay, Kauai** Mile: PWD: 51  
 Name: **State of Hawaii, Nawiliwili Piers 1 and 2**  
 Location: Island of Kauai, southeasterly portion, north side of inner end of Nawiliwili Bay. Datum: MLLW  
 Operator: State of Hawaii, Department of Transportation, Harbors Division; and others. (See Rem  
 Owner: State of Hawaii, Department of Transportation, Harbors Division.  
 Address: Phone: 808-245-6996  
 Town: Nawiliwili State: HI County: Kauai  
 Railway Connection: None.  
 Purpose: Receipt and shipment of conventional and containerized general cargo and automobiles; receipt of petroleum products, cement, and bulk fer-tilizer; shipment of bulk raw sugar and molasses; boarding passengers  
 Depth Alongside (feet): 35 | | Latitude (decimal): 21.954167  
 Total Berthing Space (feet): 1,285 | | Longitude (decimal): -159.355  
 Remarks: Matson Navigation Co.: Approximately 15 acres of paved storage area, including 60 refrigerated container positions, is located in rear. □Hawaiian Cement Corp.: Two 10-inch pipelines extend from wharf to one 2,000-ton bulk cement storage tank. □Kauai Sugar Storage Corp.: One 10-inch pipeline extends to wharf from two molasses storage tanks, total capacity 80,000 tons. Kauai Petroleum Co.: Two 6- and one 4-inch pipelines extend from wharf to four storage tanks, total capacity 24,900 barrels. □Shell Oil Co.: Two 6-inch pipelines extend from wharf to six storage tanks, total capacity 19,400 barrels.  
 Year of Last Survey: 1998 Corps of Engrs Waterway Code: 84840 Dock Code: 027 Pacific Ocean Division

---

**Port Series No. 50**  
**Ports of Hawaii (Honolulu, Port Allen, Nawiliwili, Kahului, Kaunakakai,**  
**Kawaihae, and Hilo)**

Port: **Hawaii**  
Waterway: **Nawiliwili Bay, Kauai** Mile: PWD: 53  
Name: **U.S. Coast Guard, Nawiliwili Harbor Station Wharf.**  
Location: Island of Kauai, north side, Nawiliwili Bay Small Boat Harbor. Datum: MLLW  
Operator: U.S. Coast Guard.  
Owner: U.S. Federal Government.  
Address: 3070 Waapa Road. Phone: 808-246-0390  
Town: Nawiliwili State: HI County: Kauai  
Railway Connection: None.  
Purpose: Mooring U.S. Coast Guard vessels.  
Depth Alongside (feet): 12 | | Latitude (decimal): 21.949722  
Total Berthing Space (feet): 60 | | Longitude (decimal): -159.3586  
Remarks: U.S. Coast Guard Station Kauai is located in rear.□□  
Year of Last Survey: 1998 Corps of Engnrs Waterway Code: 84840 Dock Code: 050 Pacific Ocean Division

---